

NAME

apv - PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

SYNOPSIS

apv [options] [file]

DESCRIPTION

apv is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

OPTIONS

-c *file*

Load configuration from *file* instead of the default *~/.apvrc*

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apv. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab

gT Show previous tab

PageDown, C-f

Go forward *count* pages

PageUp, C-b

Go backward *count* pages

C-d Go forward *count* half pages

C-u Go backward *count* half pages

H Scroll to page head

M Scroll to page middle

L Scroll to page bottom

s skip some pages *count*

C-p, Up, k

Scroll up *count* units

C-n, Down, h

Scroll down *count* units

Backspace, Left, h

Scroll left *count* units

Space, Right, l

Scroll right *count* units

/ *string*

Search forwards for *string*

? *string*

Search backwards for *string*

f Toggle between fullscreen and window mode

zi Zoom in

zo Zoom out

zw Zoom to fit window width

zh Zoom to fit window height

m *char*

Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

'' Return to the last position

q Close the current window

ZZ quit the viewer with ZZ, like Vim

v Select a area

C-v Select a rectangle area

y copy the select area text to clipboard

c toggle content display

U underline selected text

A annotate selected text

C comment selected text

SETTINGS

These can be set in `~/.apv1vrc` with "set *setting* [= *value*]".

fullscreen = yes/no

Enable/Disable fullscreen

width = *int*

Default window width

height = int

Default window height

fix_width = int

fixed width

fix_height = int

fixed height

defaultdir = path

Default directory for the open dialogue

zoom = mode

Set default zoom level

normal

The application sets the default zoom value

fitwidth

Fit pages to window width

fitheight

Fit pages to window height

float 1.0 for 100%, 2.0 for 200%, etc.

content = yes/no

Show content view first

content_follow_mode = mode

Set default content follow mode

none Not follow any content, just by user press Enter.

page Just follow page of book.

always

Always follow any resources.

continuous = yes/no

Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

continuouspad = *int*

Padding between pages for continuous = yes

autoscrollpage = yes/no

Enable/Disable scrolling the pages when hitting a page tail/head

noinfo = yes/no

Disable/Enable the usage of ~/.apv1vinfo

pdfcache = *int*

Set pdf cache size

[no]cache = yes/no

Disable/Enable cache

scrollbar = yes/no

Set show scrollbar or not

visualmode = yes/no

Set use visual mode to select and copy text or not

wrapscan = yes/no

Set wrapscan to search text or not

doubleclick = *action*

Set default double click action

none Selection nothing

word Selection a word under the cursor to clipboard

line Selection a line under the cursor to clipboard

page Selection a page under the cursor to clipboard

guioptions = m/T/mT

Weather display menu, toolbar, or menu and toolbar.

autoreload = *int*

If auto reload document after some seconds

inverted = yes/no

If use inverted mode for pdf page

background = *color*

Set background color

PROMPT

Like the COMMANDS, but prefixed with a colon:

:h[elp]

Display the help document

:q[uit] Close the current window

:o[pen] *file*

Open *file*

:doc *file*

Load *file* into the current window

:TOtext [*file*]

Translate *file* (or the current page) to a text file

:pr[int]

Print the current document

:tabnew

Create a new tab

:sp Horizontally split the current window

:vsp Vertically split the current window

:fp, :forwardpage [*int*]

Go forward *int* pages (1 by default)

:bp, :prewardpage [*int*]

Go backward *int* pages (1 by default)

:g, :goto *int*

Go to page *int*

:z[oom] *mode*

Set zoom to *mode* (see "set zoom" in SETTINGS)

:int Go to page *int*

:content

toggle content display

AUTHORS

apv(1) was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenon@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.homelinux.org>.